Dart Aerospace Ltd. Wednesday, 27/08/2008 3:14:15 PM Dete: User: Julie Lecocq Process Sheet GUIDE : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 41644 : 10367 **Estimate Number** : D31121 **Part Number** P.O. Number . D3112 REV B : 27/08/2008 S.O. No. : **Drawing Number** This Issue : N/A : NC **Project Number** Prsht Rev. : MACHINED PARTS First Issue : // Type **Drawing Revision** : 41072 Material **Previous Run** : 05/09/2008 Qty: Due Date Written By Checked & Approved By Comment : Est. A 02.05.22 New Issue NG **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 6061-T6 Bar .625 x 1.50 1.0 Comment: Qty.: 0.2385 f(s)/Unit Total: 4.7691 f(s) 6061-T6 Bar .625 X 1.500" Material: 6061-T6/T6511/T651 (QQ-A-225/8 OR QQ-A-200/8) Bar ref DART spec M6061T6B Batch M10154 9 BAND SAW BAND SAW 2.0 Comment: BAND SAW Cut blanks: 0.625" x 1.500 bar x 2.625" long. 3.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per Folio FA233 Note: Engrave / scribe DART P/N on part as per dwg. Deburr break all unmarked sharp edges .005 to 0.010

4.0

5.0

QC2


QC8

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK

Comment: SECOND CHECK



Each

Dart Aerospace Ltd

W/O:	W/O: WORK ORDER CHANGES						
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							,

Part No: 13112-1 PAR #: 1/4.	Fault Category: Pool	Machined Parts NCR: Yes No	DQA:	Date: 28/25/05
Resolution:	Disposition:	QA: N/C Closed		Date: 08/05/05

NCR: 4	1644	W	ORK OR	DER NON-CONFORMANCE	(NCR)			
DATE	STEP	Description of NC	Initial	Corrective Action Section B Action Description	Sign &	Verification	Approval	Approval
		Section A	Chief Eng	Chief Eng	Date	Section C	Chief Eng	QC Inspector
		Durri ac 8 inspection it was		Re machin posts All elected				
		found that 20 purts none	/ /	(Qty 420) so they conform	21/2		//	
8/9/2	B	0.412" solut under tot. Amos in this	(/	to the Day.	द्विकिकी	08/09/02		1
	30	MARRY RC employe has cons	Bsluce	Remind employed to men		,	foslar	oeter 62
		Dring on inspector (FAZ) shed		all put			1	
	}	But no Part are within	//					
		tol. Hummon error / operator	/	and part creek	0 1	\		
		eyear to have not morrorally	164W r	one of part scrop opract more no much	2190	celorlos	Buluz	02/01/02
		Parts. Mensural		no Replace	Colon			
							ļ	
]							
					1			

NOTE: Date & initial all entries

Wednesday, 27/08/2008 3:14:15 PM Date: User: Julie Lecocq **Process Sheet Drawing Name: GUIDE** Customer: CU-DAR001 Dart Helicopters Services Part Number: D31121 Job Number: 41644 Job Number: Description: Seq. #: Machine Or Operation: HAND FINISHING RESOURCE #1 6.0 HAND FINISHING1 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 7.0 106442 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVE Comment: INSPEC POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 PACKAGING 1 9.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock FINAL INSPECTION/W/O RELEASE 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE W 58.09.03 Job Completion

W/O:		·	WORK ORDER	CHANGES				
DATE	STEP		CEDURE CHANGE		By Date	e Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•						
		* Profit of						
		,						
				:				
Part No	:	PAR #:	Fault Category:	NCR:	Yes No	DQA:	Date: _	
	Resolution:		Disposition:	QA: N	/C Closed:		Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC	Corrective Action Section B			Verification	Approval	Ammercal
DATE STEP		Section A	Initial Action Description Sign & Date		Section C Chief Eng		Approval QC Inspector	
							,	
		·						
		,						i
-								
	. 4							
	1				į	1	1	


NOTE: Date & initial all entries


DART AEROSPACE LTD	Work Order:	41644
Description: Guide	Part Number:	D3112-1
Inspection Dwg: D3112 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Art	Accept	Reject	Method of Inspection	Com	ments
0. 0.501 0 R0.063 0 0.124 0 0.501 0 0.251					
0 R0.063 0 0.124 0 0.501 0 0.251	\(\sigma \)				
0 0.124 0 0.501 0 0.251	\(\sigma \)				
0 0.501	V			}	
0 0.251					
	V				
0 0.159	V	r	* Acholy	nersce	0.400" 0.012" 00
0 1.010	✓		re school	nearse	1.012" 00
0 0.405	V		& Actual	mease	0.40011
0 0.192	V				
0 1,998	V				
0 2.500	~				,
000 \$ 0.195	~				
0 RO.125	V				
		¥			
				<u> </u>	
	: 0, ,		Prototype Ap	proval:	N/A
	0 0.405 0 0.192 0 1.998 0 2.500 .000 \$\times 0.195 0 Ro.125	0 1,010 V 0 0.405 V 0 0.192 V 0 2.500 V 0 R 0.125 V 0 R 0.125 V 0 Audited by:	0 1,010	0 1,010	0 1.010

Rev	Date	Change	Revised by	Approxed
A	05.07.07	New Issue	KJ/JLM c	
			· · ·	77





D3112-1 GUIDE

NOTES:

ඈ 1) MATERIAL: 6061-T6/T6511/T651 (QQ-A-225/8 OR QQ-A-200/8)

BAR (REF. DART SPEC M6061T6B)

POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.1

POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 UNGONTROLLED COPY

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SUBJECT TO AMENDMENT

4) ALL DIMENSIONS ARE IN INCHES

5) BREAK ALL SHARP EDGES 0.005 TO 0.015 6) POSSIBLE SUPPIER: PREMIER P/N B30-23000-17

IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER

SHOP COPY RETURN TO ENGINEERING

Copyright @ 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.